

## Curved Edge Refrigerated Floor Display Case

ITEM: 39539 40519 47105  
MODEL: RS-CN-0270 RS-CN-0370 RS-CN-0470



### Elevate your shop and keep your treats fresh, visible, and irresistible.

This sleek design includes bright LED lighting, adjustable shelves, and clear glass for full product visibility from all angles. The energy-efficient cooling system uses an eco-friendly refrigerant to keep your items fresh while promoting sustainability.

Equipped with digital controls, smooth mobility, and easy maintenance, this display case combines style and function perfectly for any dessert-focused space. Features include LED illumination under each shelf, a digital temperature controller and display, ventilated cooling, adjustable chrome-plated shelves, triple layer glass on all sides, four castors with two brakes, automatic defrost, and double glass construction.

### FEATURES:

- Internal LED illumination under each sleeve.
- Digital temperature controller & display.
- Ventilated cooling system
- Adjustable chrome plated shelves
- 4 sides with 3 layer glass
- 4 Castors with 2 brakes
- Automatic defrost
- Double Glass
- Rear Door



**WARRANTY**  
2 YEARS PARTS AND LABOUR  
5 YEARS ON COMPRESSOR

NEMA  
5 - 15P  
125VAC / 15 AMP



| TECHNICAL SPECIFICATION |                                               |                                               |                                               |
|-------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| Features                | 36" with 9.5 cu.ft. Capacity                  | 48" with 13 cu.ft. Capacity                   | 60" with 17.7 cu.ft. Capacity                 |
| Item                    | 39539                                         | 40519                                         | 47105                                         |
| Model                   | RS-CN-0270                                    | RS-CN-0370                                    | RS-CN-0470                                    |
| Electrical              | 110V / 60Hz / 1Ph                             | 110V / 60Hz / 1Ph                             | 110V / 60Hz / 1Ph                             |
| Capacity                | 270L/ 9.5 cu.ft.                              | 370L / 13 cu.ft.                              | 500L/ 17.7 cu.ft                              |
| Temperature Range       | 0 - 12°C / 32 - 53.6°F                        | 0- 12°C / 32 - 53.6°F                         | 0- 12°C / 32 - 53.6°F                         |
| Top Rack Size           | 31.7" x 13.7" /<br>805 x 348 mm               | 43.5" x 14" /<br>1105 x 356 mm                | 55.2" x 12.2" /<br>1401 x 311 mm              |
| Bottom Rack Size        | 31.7" x 16" /<br>805 x 406 mm                 | 43.5" x 16" /<br>1105 x 406 mm                | 55.2" x 14.6" /<br>1401 x 371 mm              |
| Refrigerant             | R290                                          | R290                                          | R290                                          |
| Weight                  | 297.6 lbs / 135 kgs                           | 341.7 lbs/ 155 kgs                            | 401.2 lbs/ 182 kgs                            |
| Gross Weight            | 363.8 lbs / 165 kgs                           | 432.1 lbs/ 196 kgs                            | 518.1 lbs/ 235 kgs                            |
| Dimensions (WDH)        | 36" x 26.6" x 48" /<br>915 x 675 x 1220 mm    | 47.8" x 26.6" x 48" /<br>1215 x 675 x 1220 mm | 59.6" x 26.6" x 48" /<br>1515 x 675 x 1220 mm |
| Gross Dimensions (WDH)  | 39.4" x 29.3" x 50" /<br>1000 x 743 x 1270 mm | 51.2" x 29.3" x 50" /<br>1300 x 743 x 1270 mm | 63" x 29.3" x 50" /<br>1600 x 743 x 1270mm    |

TECHNICAL DRAWING

